

**Royal Stoke University Hospital** 

Data, Security and Protection
Newcastle Road
Stoke-on-Trent
Staffordshire
ST4 6QG

Email foi@uhnm.nhs.uk

Ref: FOIA Reference 2022/23-558

Date: 24th January 2023

## Dear

I am writing to acknowledge receipt of your email dated 4th January 2023 requesting information under the Freedom of Information Act (2000) regarding operating theatres

As of 1<sup>st</sup> November 2014 University Hospitals of North Midlands NHS Trust (UHNM) manages two hospital sites – Royal Stoke University Hospital, and County Hospital (Stafford). Therefore the response below is for the two sites combined from that date where appropriate.

- Q1 The number of operating theatres (OTs) in your Trust by type (e.g., day case, general, obstetrics etc.)
- A1 See below:

8 day cases

2 maternity theatres

33 general theatres

- Q2 For each type of OT (e.g., day, general, obstetrics etc.), please provide the number of OTs:
  - a) With no ventilation system
  - b) With a 'conventional' ventilation system
  - c) With an Ultra Clean Ventilation (UCV) / laminar flow ventilation system
  - d) That are 'Integrated' OTs (e.g. connected by a digital control panel)
- A2 See below:

8 no ventilation

21 conventional

14 ultra clean

- Q3 The number of OT ventilation system that were refurbished/replaced in the last 5 years. For each, please list the supplier and capital cost of the equipment
- A3 Not applicable
- Q4 For OT ventilation systems, where there is a servicing agreement, please specify:
  - a) Total value and duration of the servicing contract







- b) Provider of the servicing contract
- c) Renewal date
- d) Type of agreement (e.g., framework, warranty, tender etc.)
- A4 Not applicable
- Q5 Your Trust's annual capital equipment spend on the following OT equipment, for the last 5 years
  - a) OT ventilation systems
  - b) Theatre control panels
  - c) Operating lights
  - d) Medical pendants
  - e) Mobile ventilation systems
- A5 Not applicable
- Q6 The annual number of surgeries performed outside of an operating theatre, for the last 5 years
  - a) The number of those where a mobile ventilation system was used for the same period
- A6 Information not held

\*Please note that any individuals identified do not give consent for their personal data to be processed for the purposes of direct marketing.

UHNM NHS Trust is a public sector body and governed by EU law. FOI requestors should note that any new Trust requirements over the EU threshold will be subject to these regulations and will be advertised for open competition accordingly.

Where the Trust owns the copyright in information provided, you may re-use the information in line with the conditions set out in the Open Government Licence v3 which is available at <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/">http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/</a>. Where information was created by third parties, you should contact them directly for permission to re-use the information.

An anonymised copy of this request can be found on the Trust's disclosure log, please note that all requests can be found at the following link: <a href="http://www.uhnm.nhs.uk/aboutus/Statutory-Policies-and-Procedures/Pages/Freedom-of-Information-Disclosure-Log.aspx">http://www.uhnm.nhs.uk/aboutus/Statutory-Policies-and-Procedures/Pages/Freedom-of-Information-Disclosure-Log.aspx</a>

This letter confirms the completion of this request. A log of this request and a copy of this letter will be held by the Trust.







If you have any queries related to the response provided please in the first instance contact my office.

Should you have a complaint about the response or the handling of your request, please also contact my office to request a review of this. If having exhausted the Trust's FOIA complaints process you are still not satisfied, you are entitled to approach the Information Commissioner's Office (ICO) and request an assessment of the manner in which the Trust has managed your request.

The Information Commissioner may be contacted at:

Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF or via <a href="https://www.ico.org.uk">www.ico.org.uk</a>.

If following review of the responses I can be of any further assistance please contact my secretary on 01782 671612.

Yours,

**Rachel Montinaro** 

Data Security and Protection Manager - Records

Sontingo



